California State Water Resources Control Board Leaking Underground Fuel Tank (LUFT) Guidance Manual

Update on the LUFT Manual 2011 SAM Fall Forum

Adrienne Barnes Sullivan International Group, Inc.

LUFT Manual Public Comments

Public comment period 8/13/2010 - 11/30/2010

455 comments received

422 received from state and local agencies, 33 from general public and/or industry professionals

Who Made Comments?

27 People Commented

18 Regulators

8 Consultants

1 Laboratory

Observations

Tends to focus on cleanup of releases because tank removal is mature

Focus on older releases, not as many new releases occurring

Recognizes natural attenuation

Chapter	Number of Comments
Fate and Transport	57
Risk Evaluation and Risk Management	53
Conceptual Site Model	48
Site Assessment	43
Reports	40
Appendices	35
Overview	30
Laboratory Analysis and Methods	30
Remediation	28
Corrective Action Plan	22
Roles & Responsibilities	18
GeoTracker	16
Work Plans	16
Tank Removal and Closure In Place	14
UST Cleanup Fund	7
Release Response Prioritization	4
Health & Safety	3
Green & Environmentally Responsible Cleanups	3
Initital Reporting and Abatement	3
Glossary	2

Comments Fall into Three Categories

Organizational/Structural

General/Administrative

Technical



Organizational/Structural

"Put the technical section first"

"Put the VI Appendix into the body of the Manual"

"Move the educational components of the F&T to Appendix"

"Add lessons learned to Remediation"


General / Administrative


Add acknowledgements page

Add more references

Avoid language like "It has been well established"

More Chemistry! Carbon and Boiling Ranges of Petroleum Products





GC-FID chromatograms for gasoline, diesel, and motor oil with volatility and solubility of TPH fractions

Shows the reader the differences between distillates

NV	Non-volatile
NS	Non-soluble
S	Soluble (Fraction-specific solubility is greater than 1 mg/L)
V	Volatile (Fraction molecular weight is less than 200 g/mol and Henry's
	Law Constant is greater than 10 ⁻⁵ m ³ -atm/mol)

Average Composition of Gas and Diesel

Component	Fresh Gasoline (%)	Fresh Diesel (%)
Benzene	2.0 (max 2.5)	0.03 (max 0.1)
Toluene	8.1 (max 12)	0.2 (max 0.7)
Ethylbenzene	1.7 (max 2)	0.07 (max 0.2)
Xylenes	9.0 (max 11)	0.5 (max 0.6)
Naphthalene	0.25 (max 0.36)	0.26 (max 0.8)
<i>n</i> -hexane	2.4 (max 3.2)	NM
2-methylnaphthalene	0.18 (max 0.29)	0.89 (max 1.5)
HMW PAHs	NM	<0.01
Aliphatics		
C5-C6	21	0
>C6-C8	22	0
>C8-C10	9	2
>C10-C12	3	7
>C12-C16	0	35
>C16-C21	0	34
>C21-C32	0	0
Aromatics		
>C8-C10	13	0.43
>C10-C12	2.3	0.74
>C12-C16	0	8
>C16-C21	0	12
>C21-C32	0	0

Plume Lengths

Added Buscheck 1996 Reference: 119 sites in NoCal at 91% of the sites, BTEX concentrations were either decreasing or showed no trend. A subset of 62 sites 85% of the benzene plumes were less than 200 feet long

Added Dahlen 2004 Reference: this study found that only 16% of all the wells at 190 sites were hydraulically downgradient of the source zone


Hydraulic Lift Tanks

October 2010 Manual stated hydraulic lift tanks (HLTs) were permanently exempted by SWRCB "Report on Hydraulic Lift Tanks," February 1995

Correction: The Regional Water Quality Control Boards retained their authority under Porter-Cologne.

Conceptual Site Model

Default CSM added from SF RWQCB




Include Ecological Receptors

Consider future use and adjacent properties

Conceptual Site Model

New and Improved!



Site Assessment

Vapor Intrusion

Improved level of detail on sampling procedures

Lab Analysis and Methods

TPH

Provide detail on methods and recommendations for use

EPA Method	What It Measures	Recommended Use	Comments
1664	n-Hexane Extractable	For materials with boiling points >	Included on this table
	Material (HEM; Oil &	85 °C. Provides gross amount of	for informational
	Grease), and	HEM or SGT-HEM. HEM provides	purposes only.
	Silica gel Treated HEM (SGT-	no information about molecule	
	HEM; Non-polar Material)	class or size. SGT-HEM provides	
	by extraction and	some information about molecule	
	gravimetry (replaced	type (non-polar), but not	
	Methods 413 and 418.1	aliphatic/aromatic class, and not	
	when Freon was banned)	size. Not recommended for LUFT	
		sites because it provides so little	
		information and no	
		chromatogram, and no	
		regulatory criteria have been	
00000/0.000	All Let	developed for HEM or SGT-HEM.	6 11
8260B/C GRO	All volatile organics that are	Provides gross concentration of	Soil or groundwater.
(gasoline-range [or	purged from a sample and	purgeable organics within the	Can include non-
purgeable] organics by GC-MS)	that are detected by a MS within in a certain boiling	specified carbon range. Does not provide information about	petroleum purgeable organics (e.g.,
Recommend C5 to C12	range (carbon range) and	molecular class. Can be used to	CVOCs). Products
carbon range.	are quantified using a	identify source areas, for mass-	other than (or in
carbon range.	gasoline standard.	fraction calculations of individual	addition to) gasoline
	gasonne standard.	compounds, estimating bulk	may be present.
		product mobility, or evaluating	Analytical results
		the extent of organic-impacted	may not be
		soil or groundwater. Can provide	comparable to EPA
		TICs because of MS.	Method 8015B GRO.
		Chromatogram can be used to	
		identify fuel type/weathering.	
8015B GRO	All volatile organics that are	Provides gross concentration of	Soil or groundwater.
(gasoline-range [or	purged from a sample and	purgeable organics within the	Can include non-
purgeable] organics by	that are detected by a FID	specified carbon range. Does not	petroleum purgeable
GC-FID)	within in a certain boiling	provide information about	organics (e.g.,
Recommend C5 to C12	range (carbon range) and	molecular class. Can be used to	CVOCs). Products
carbon range.	are quantified using a	identify source areas, for mass-	other than (or in
	gasoline standard.	fraction calculations of individual	addition to) gasoline
		compounds, estimating bulk	may be present.
		product mobility, or evaluating	
		the extent of organic-impacted soil or groundwater.	
		Chromatogram can be used to	
		identify fuel type/weathering.	
8015B DRO/ORO	All semi-volatile organics	Provides gross concentration of	Soil or groundwater
(diesel- or oil-range	that are extracted from a	extractable organics within the	(for DRO), soil only
[or extractable]	sample and that are	specified carbon range. Does not	(for ORO). Can
organics by GC-FID)	detected by a FID within a	provide information about	include non-
(DRO ; recommend	certain boiling range	molecular class. Can be used to	petroleum
C12 to C22; reported	(carbon range) and are	identify source areas, for mass-	extractable organics,
as C12 to C16 and C17	quantified using a diesel or	fraction calculations of individual	(e.g., coal tars,
to C22)	motor oil standard.	compounds, estimating bulk	creosote, polar
(ORO; recommend		product mobility, or evaluating	byproducts of
C23 to C32)		the extent of organic-impacted	biodegradation of

8015B DRO/ORO with silica gel cleanup (sgc using a 10-gram column cleanup based on EPA Method 3630C) (DROsgc; recommend C12 to C22; reported as C12 to C16 and C17 to C22) (OROsgc; recommend C23 to C32)	Semi-volatile organics that are non-polar (and therefore are hydrocarbons) and that are detected by a FID within a certain carbon range and are quantified using a diesel or motor oil standard.	soil or groundwater. Results should not be used to compare to petroleum hydrocarbon-based cleanup criteria or WQOs. Chromatogram can be used to identify fuel type/weathering. Provides the best estimate (if using 8015B) of the gross concentration of hydrocarbons present within the specified carbon range. Therefore results can be used to compare to petroleum hydrocarbon-based cleanup criteria or water quality objectives. Provides some information about molecular type (non-polar), but not aliphatic/aromatic class. Can be used to identify source areas, for mass-fraction calculations of individual constituents, estimating bulk product mobility, or evaluating the extent of petroleum hydrocarbons in soil and groundwater. Chromatogram can be used to identify fuel type/weathering.	petroleum, leakage from sewer lines, natural organic matter). Products other than (or in addition to) diesel or motor oil may be present. Soil or groundwater (for DROsgc), soil only (for OROsgc). Cleanups can be incomplete and should be checked using a reverse surrogate and/or chromatogram pattern. Use of 10-grams of silica gel is advised. Products other than (or in addition to) diesel or motor oil may be present.
Fractionated TPH: Volatile Petroleum Hydrocarbons (VPH) (GC-PID/FID; WA DOE method)	Purgeable aliphatic and aromatic hydrocarbons. Separates aliphatics and aromatics by subtracting PID result from FID result. Aliphatics: C5 to C6, >C6 to C8, >C8 to C10, >C10 to C12 Aromatics: C8 to C10, >C10 to C12	Used for gasoline releases. Provides best characterization available of hydrocarbon composition and concentrations. Provides detailed information about molecule class and size; used for quantitative risk assessments and for fate and transport calculations.	Soil or groundwater. Potential to erroneously include aliphatics in the aromatics fraction because of use of a PID to separate aromatics.
Fractionated TPH: Extractable Petroleum Hydrocarbons (EPH) (GC-FID; WA DOE method)	Extractable aliphatic and aromatic hydrocarbons. Separates aliphatics and aromatics by fractionation on silica gel column. Aliphatics and aromatics (separately) in the following carbon ranges: >C8 to C10, >C10 to C12, >C12 to C16, >C16 to C21, >C21 to C32	Used for jet fuel, diesel and heavier product releases. Provides best characterization available of hydrocarbon composition and concentrations. Provides detailed information about molecule class and size; used for quantitative risk assessments and for fate and transport calculations.	Soil or groundwater. Fractionation success depends on technician skill.

Risk Evaluation

Resources Diverted

Low-Threat Closure Policy takes on a number of issues the Manual couldn't, so our focus has been on the Policy

CEQA Scoping Meeting:

http://www.swrcb.ca.gov/water_issues/p rograms/ust/lt_cls_plcy.shtml

Riverside, CA September 28, 2011 Oakland, CA September 29, 2011

Your Input

Questions and Comments: luftmanual@onesullivan.com

Contact Adrienne Barnes

abarnes@onesullivan.com

720-413-9703